

POSTER PRESENTATION

Open Access

Chemical carcinogenesis by 7,12dimethylbenzanthracene in balb/c mice

Marcello V Tedardi^{1*}, Krishna D Oliveira¹, Gabriela U Avanzo¹, Marcelo MM Rangel¹, José L Avanzo¹, Heidge Fukumasu², Kurapati VK Rao¹, Idércio Luiz Sinhorini¹, Maria Lúcia Z Dagli¹

From São Paulo Advanced School of Comparative Oncology Águas de São Pedro, Brazil. 30 September - 6 October 2012

Background

Experimental models of carcinogenesis have been used in cancer researches, mainly with radiation or chemicals like 7,12-dimethylbenzanthracene (DMBA) which is a polycyclic aromatic hydrocarbon. This chemical group contains the majority of carcinogens and requires biotransformation in the liver and mammary gland.

Patients and methods

The carcinogen DMBA was administered by gavage to 70 Balb/c female mice, diluted in corn oil, at hebdomadary doses of 1 mg per animal for 1, 3, 6 or 9 weeks. Others 20 animals were used in the control group, who received only corn oil administration. Animals were weighed and monitored weekly until death, remaining animals were euthanized at age of 53 weeks. At necropsy, representative fragments of tumors were harvested, routinely processed for microscopy and classified agreeing with International Agency for Research on Cancer (IARC).

Results

Control group hadn't any behavioral or physical alterations. Tumors started being observed after 10 weeks of the beginning of DMBA protocol and the animals that received doses of 1 and 3mg survived more than 6 and 9mg groups. Were detected tumors in 67,14% of animals from DMBA groups and mammary tumors were the most common, counting 22 of them (31.43%). Cancer developed also in other primary sites: lungs (17.14%), lymphoid tissues (11,43%), stomach (7.14%) and skin (1.43%). Breast and gastric cancer were more frequents at higher doses and lung cancer in lower ones.

Conclusion

It's an effective and flexible carcinogenesis model that can be useful for studies for multiple cancers, especially in breast, gastric, lymphoid and lungs.

Financial support

FAPESP.

Acknowledgements

The first author is presenting the abstract on behalf of the study group.

Author details

¹Department of Pathology, School of Veterinary Medicine and Animal Science, University of Sao Paulo, Sao Paulo, SP, Brazil. ²Department of Pathology, School of Animal Science and Food Engineering, University of Sao Paulo, Pirassununga, SP, Brazil.

Published: 4 April 2013

doi:10.1186/1753-6561-7-S2-P46

Cite this article as: Tedardi et al.: Chemical carcinogenesis by 7,12dimethylbenzanthracene in balb/c mice. BMC Proceedings 2013 7(Suppl 2):P46.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- . No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit





^{*} Correspondence: marcello.tedardi@usp.br

¹Department of Pathology, School of Veterinary Medicine and Animal Science, University of Sao Paulo, Sao Paulo, SP, Brazil Full list of author information is available at the end of the article